Lessons Learned from Adopting Clojure

why



I hate all programming languages - Matt Foemmel





ThoughtWorks®



ThoughtWorks®





ThoughtWorks®

3-4 years







DRW TRADING GROUP











you, today?



you, today?





you, today?







closed classes

File.exists("/tmp/file.txt") not an option



no closures

int sum(int[] a) {
 int result = 0;
 for (int i : a)
 result += i;
 return result;
}




HashMap<String, Double> hm =
 new HashMap<String, Double>();
hm.put("A", new Double(3434.34));
hm.put("B", new Double(123.22));
hm.put("C", new Double(1378.00));
hm.put("D", new Double(99.22));
hm.put("E", new Double(-19.08));



package some.klass.some.where; public class Its/ustSomeData extends SomeOtherData { private final String name; private final String age; private final String birthPlace; public ItsJustSomeData(String name, String age, String birthPlace) { this.name = name; this.age = age; this.birthPlace = birthPlace; } public String getName() { return name; } public String getAge() { return age; } public String getBirthPlace() { return birthPlace; } public void setName(String name) { this.name = name; } public void setAge (String age) { this.age = age; } public void setBirthPlace(String birthPlace) { this.birthPlace = birthPlace; } }








"klocs kill"





closed classes

File.exists("/tmp/file.txt") not an option



data / behavior separation



no closures

closed classes

File.exists("/tmp/ file.txt") not an option int sum(int[] a) {
 int result = 0;
 for (int i : a)
 result += i;
 return result;
}



data / behavior separation (reduce + 0 coll)



no closures

closed classes

File.exists("/tmp/ file.txt") not an option int sum(int[] a) {
 int result = 0;
 for (int i : a)
 result += i;
 return result;
}_

HashMap<String, Double> hm ¹= new HashMap<String, Double>(); hm.put("A", new Double(3434.34)); hm.put("B", new Double(123.22)); hm.put("C", new Double(1378.00)); hm.put("D", new Double(99.22)); hm.put("E", new Double(-19.08));



data / behavior separation (reduce + 0 coll) {"A" I2"B" 345"C" 899}



losed classes **NO COSUFES**Map<String, Do { new HashMap<Strin</pre> File.exists("/tmp/ int sum(int[] a) file.txt") not an `hm.put("A", new Doເ int result = 0;option hm.put("B", new Dou package some.klass.some.where, hm.put("C", new Do { private final String name; private final String age; private final String birthPlace; public ItsJustSomeData(String name, String age, String) birthPlace) { this.name = name; this.age = age; this.birthPlace) = birthPlace; } public String getName() { return name; } public String getAge() { return age; } public String getBirthPlace() { return birthPlace; } public void

setName(String name) { this.name = name; } public void
setAge (String age) { this.age = age; } public void

data / behavior separation (reduce + 0 coll) {"A" I2 "B" 345 "C" 899} (defrecord Person [name age birth-place])



REPL withdrawl

A language that doesn't affect the way you think about programming is not worth knowing. — Alan Perlis




A language that doesn't affect the way you think about programming is not worth knowing. — Alan Perlis














RDD, REPL Driven Development



how








- language
- runtime
- deployment




- language
- runtime
- deployment
 - performance tuning











find a language that

 doesn't force your teammates to learn a new IDE or editor



find a language that

- doesn't force your teammates to learn a new IDE or editor
- uses the same support frameworks, e.g. Ant, Make, Maven, JUnit.



find a language that

- doesn't force your teammates to learn a new IDE or editor
- uses the same support frameworks, e.g. Ant, Make, Maven, JUnit.
- uses the same tools (beyond code), e.g. YourKit, strace.





hello world



non-production code



non-production code

 showcases the features you find most valuable in the new language.




- non-production code
- showcases the features you find most valuable in the new language.
- you're willing to write in the old and the new language.



- non-production code
- showcases the features you find most valuable in the new language.
- you're willing to write in the old and the new language.
- you're willing to keep in the old language







your commitment

• pair with, code review, collaborate



your commitment

- pair with, code review, collaborate
- you'll fix whatever they want to ignore



your commitment

- pair with, code review, collaborate
- you'll fix whatever they want to ignore
- you'll rewrite everything in the old language, if the team determines that the experiment failed.



find allies, don't make enemies

• if you're alone, you've already failed



- if you're alone, you've already failed
- practice together



- if you're alone, you've already failed
- practice together
- collaborate on easing non-code friction.
 e.g. tool support, workflow support



- if you're alone, you've already failed
- practice together
- collaborate on easing non-code friction.
 e.g. tool support, workflow support
- hold the line when you're gone



e4+12

Lunu

Vo

E

Tuesday, February 11, 14

 $N(x,y) = \sum_{i=0}^{\infty} g(x) e^{ix}$

200

 $f(x,\mu,\sigma)$

 $\mu_{\kappa} = e$

g(x) =

0

• read books (plural)




• read books (that's plural!)

• where do the experts live? mailing list, irc?



- read books (that's plural!)
- where do the experts live? mailing list, irc?
- know more than code: memory allocation, performance, deployment, tool integration, library support, upgrade schedules





get a budget for training and support



added responsibility, you have

experience report





technical impact



It is better to have 100 functions operate on one data structure than 10 functions on 10 data structures - Perlis (again)



requirement: When a user sets a default execution type, remove all existing saved execution types



code is data / data is code



code is data / data is code

(expect (interaction (foo 1 4)) (foo (four) (four))



code is data / data is code

(expect (interaction (foo 1 4)) (foo (four) (four))

expected: (foo | 4) once got: (foo (four) (four)) => (foo 4 4)



technical evolution

• TDD in IntelliJ



technical evolution

• TDD in IntelliJ

• refresh&reload in IntelliJ



technical evolution

- TDD in IntelliJ
- refresh&reload in Intellij
- RDD in emacs



 more aligned with community, less aligned with the rest of DRW



- more aligned with community, less aligned with the rest of DRW
- increased barrier to entry



- more aligned with community, less aligned with the rest of DRW
- increased barrier to entry

 a lightweight editor allows you to work from a laptop



- more aligned with community, less aligned with the rest of DRW
- increased barrier to entry

- a lightweight editor allows you to work from a laptop
- more productive than ever before



cultural impact

• expert only team



cultural impact

• expert only team

• work remotely (clojure, emacs)



cultural impact

- expert only team
- work remotely (clojure, emacs)
- functional programming trolling

politics, meh

political impact

• you will be someone's scapegoat



political impact

- you will be someone's scapegoat
 - another programmer
 - unix team



political impact

- you will be someone's scapegoat
 - another programmer
 - unix team
- you might lose a good project



winter is coming

wrapping up




why on earth would you undertake this task?



You've managed to overachieve at a level that I couldn't have imagined when your project began. I couldn't be more satisfied and impressed.





questions?

