

Continuous delivery for native apps

Niels Frydenholm, ebay Classifieds







Click 'engage' to rate sessions and ask questions

Continuous delivery



Continuous Delivery means you ensure every change can be deployed to production. Continuous Deployment means you deploy every change.



Continuous delivery



Continuous Delivery means you ensure every change can be deployed to production. Continuous Deployment means you deploy every change.

Being able to build a release-ready binary at any given time.




ebay Classifieds, Denmark



ebay Classifieds, Denmark

- Native apps
 - -DBA
 - BilBasen





Tools that support multiple platforms
















Branches, build and distribution

Feature branches

Git Development with features branches






7

Jenkins jobs pr. branch



Jenkins jobs pr. branch





Jenkins jobs pr. branch

BB-feature-gotoCphDemo-HockeyApp	1 hr 5 min - <u>#1</u>	N/A
BB-feature-gotoCphDemo-Integration	N/A	N/A
BB-feature-gotoCphDemo-UI-iPad	N/A	N/A
BB-feature-gotoCphDemo-UI-iPhone	N/A	N/A
BB-feature-gotoCphDemo-Unit	N/A	N/A
BB-Master-HockeyApp-T	13 hr - <u>#639</u>	N/A
BB-Master-Infrastructure-Library-Unit	13 hr - <u>#739</u>	12 days - <u>#730</u>
BB-Master-Integration-T	12 hr - <u>#1116</u>	N/A
BB-Master-UI-Cloud-iPad	21 hr - <u>#288</u>	4 days 5 hr - <u>#286</u>
BB-Master-UI-Cloud-iPhone	20 hr - <u>#390</u>	4 days 5 hr - <u>#388</u>
BB-Master-UI-iPad-T	11 hr - <u>#683</u>	5 days 11 hr - <u>#681</u>
BB-Master-UI-iPhone-T	12 hr - <u>#950</u>	2 days 12 hr - <u>#948</u>
BB-Master-Unit-T	12 hr - <u>#968</u>	5 days 12 hr - <u>#964</u>



Jenkins jobs pr. branch - configuration

• Plugin: http://entagen.github.io/jenkins-build-per-branch/



Jenkins jobs pr. branch - configuration

Plugin: http://entagen.github.io/jenkins-build-per-branch/






BB-SyncBuildsWithGitBranches

1 hr 15 min - #3744



Jenkins jobs pr. branch - configuration


Plugin: http://entagen.github.io/jenkins-build-per-branch/





Hockey app distribution pr. branch

- A new app is created for each feature branch
 - Easy manuel testing on devices
 - UX verification
- Deleted again together with the branch
 - Hockey app does not get cluttered







Tests

Prerequisites

- Required
- Stable test environment(s)
- Good test data



Prerequisites

- Required
- Stable test environment(s)
- Good test data
- Optional (but a very good idea)
- Ways to setup data to a given state
- E.g trigger something normally done in a batch job





Unit tests

Like all other platforms - super fast, and an easy way to tests all objects in isolation



Unit tests

Like all other platforms - super fast, and an easy way to tests all objects in isolation

Integration tests

Test of backend api's from the app code - verifying json, mapping to the model, error codes etc.



Unit tests

Like all other platforms - super fast, and an easy way to tests all objects in isolation

Integration tests


Test of backend api's from the app code - verifying json, mapping to the model, error codes etc.

UI tests

Cucumber / Calabash - user scenarios to verify app from end-to-end



Cucumber / Calabash





Example


Scenario: I can only send a valid report of a listing once
Given I am logged in as "UniqueSeller" using quick login
And I am on the VIP for "iPhone"
When I go to report listing
And I try to send the report
Then I see the validation error for "Årsag, Beskriv din anmeldelse"

When I close the system message view
And I select report listing cause "Annoncen er ulovlig"
And I set report description text to "Den er billigere end min!"
And I send the report
Then I see the report listing VIP

When I close the system message view


And I touch the report listing button

Then I am informed that I already has reported the listing






X-platform UI tests






X-platform UI tests






X-platform UI tests



- Same scenarios / Steps
- Page objects are specific to the platform
- Use -r in Cucumber to load for each platform
- features-folder is a Git SubModule



Structure your test code with Page objects

Step definition

When(/^I send the report\$/) do
@page = @page.send_the_report
end



Structure your test code with Page objects

Step definition

```
When(/^I send the report$/) do
  @page = @page.send_the_report
end
```

```
ReportListingpage - Page object (iOS)

def send_the_report

transition(:tap => "view marked:'Anmeld annonce", :page => self.previous_page)

end
```



Avoid timing-issues



Avoid timing-issues

Don't


```
And /^I set price to "(.*?)"$/ do |price|
macro 'I swipe up'
sleep(1)
touch("view marked:'Price'")
sleep(0.5)
set_text("view marked:'Price'", price)
sleep(0.5)
touch("view marked:'OK'")
sleep(1)
end
```



Avoid timing-issues

Don't

```
And /^I set price to "(.*?)"$/ do |price|
macro 'I swipe up'
sleep(1)
touch("view marked:'Price"")
sleep(0.5)
set_text("view marked:'Price", price)
sleep(0.5)
touch("view marked:'OK"")
sleep(1)
end
```





Re-run failed tests

- Underlying bits and pieces can be unstable
 - UlAutomation
 - Simulator
- Cucumber rerun formatter
 - Give failed test one more try



Re-run failed tests

- Underlying bits and pieces can be unstable
 - UlAutomation
 - Simulator
- Cucumber rerun formatter
 - Give failed test one more try

cucumber -f rerun --out rerun.txt

cucumber @rerun.txt



Fast feedback

- Only run part of UI test suite on each commit
 - use @tags
- Use "backdoor" to setup/teardown
 - E.g. login or create a new user



Fast feedback



Fast feedback

@commit

Scenario: I can manage my listing and see the changes Given I am logged in as "UniqueSeller" using quick login And I have created a listing for "Hovedtelefoner" and is on the SYI VIP

Then I see the VIP for "Her kommer en rimelig lang tekst"

When I go back to my listings page And the created listing is in the list ...more steps omitted...



Fast feedback

@commit

Scenario: I can manage my listing and see the changes

Given I am logged in as "UniqueSeller" using quick login


And I have created a listing for "Hovedtelefoner" and is on
the SYI VIP

Then I see the VIP for "Her kommer en rimelig lang tekst"

When I go back to my listings page And the created listing is in the list ...more steps omitted...



Visible feedback





Visible feedback



jenkins BOT 11:13 AM

DBA-Master-UI-iPhone-T - #1024 Back to normal after 30 min (Open)

Test Status:

Passed: 21, Failed: 0, Skipped: 0



jenkins BOT 11:29 AM

DBA-Master-UI-iPad-T - #726 Back to normal after 46 min (Open)

Test Status:

Passed: 21, Failed: 0, Skipped: 0



jenkins BOT 12:13 PM

DBA-Master-UI-All-iPad-T - #484 Back to normal after 1 hr 29 min (Open)

Test Status:

Passed: 78, Failed: 0, Skipped: 0



jenkins BOT 12:50 PM

DBA-Master-UI-Cloud-iPad - #263 Failure after 0.14 sec (Open)


No Tests found.



Test on real devices




Test on real devices






Test on real devices









Is test automation all you need?



Is test automation all you need?

No, but they are

- Fast(er than humans)
- They never forget details (that you taught it)
- Great way to avoid "old" bugs (regression)



Is test automation all you need?

No, but they are

- Fast(er than humans)
- They never forget details (that you taught it)
- Great way to avoid "old" bugs (regression)

iOS 9 hack lets anyone see all photos and contacts even if ...
www.independent.co.uk/.../gadgets.../ios-9-hack-lets-... ▼ Oversæt denne side
for 6 dage siden - An exploit using Siri allows people to get around the iPhone's security
... on the passcode screen until the iPhone threatens to lock the user out.

iOS 7 Lock Screen Vulnerability Discovered Which Gives ... techcrunch.com/.../ios-7-lock-screen-vulnerability-dis... ▼ Oversæt denne side 19. sep. 2013 - Vulnerabilities in Apple's iOS lock screens have become a fixture of ... (ahem) photos get stolen or shared out through your social accounts.



Manuel tests

- Still very important
- Part of Definition of Done for each story
- QA has more time to do
 - Exploratory tests
 - Focus on highest risk






Trust

- All team members write/maintaining tests
- QA trusts the automated tests
- Developers trusts QA to find the "tricky" bugs
- Everyone trusts that a red test means something is wrong
 - No broken windows
- Code coverage



Trust

- All team members write/maintaining tests
- QA trusts the automated tests
- Developers trusts QA to find the "tricky" bugs
- Everyone trusts that a red test means something is wrong
 - No broken windows
- Code coverage





- Convince Product Owner of the agility
 - Automated app updates = fast adoption rate
- Define release scope with Product Owner



- Convince Product Owner of the agility
 - Automated app updates = fast adoption rate
- Define release scope with Product Owner



- Convince Product Owner of the agility
 - Automated app updates = fast adoption rate
- Define release scope with Product Owner

Prepare your app for it




- Convince Product Owner of the agility
 - Automated app updates = fast adoption rate
- Define release scope with Product Owner

Prepare your app for it

- "Kill switch" to force users to update eventually
 - Work as an emergency brake as well
- Welcome screens
 - Highlight whats new
 - Teach the users how to use new features
 - Do not expect users to read "Whats new" in the AppStore



Relax - no worries!






Embrace failures

- Bug free software is an illusion
- Learn/improve from bugs/crashes found by users
 - Add new tests to prevent it from happening again
- Celebrate (potential) bugs found by tests before production

Know your app quality

- Visual information about app health
- Be proactive and fix bugs before too many users notice them









Remember to rate this session

Thank you!